

3.

## PRODUCT SPECIFICATION

#### **SPECIFICATION MARK**

FP-SGP -108-01

1.	1. IDENTIFICATION DATA						
PRODU	UCT NAME:	DEEP FROZEN STRAWBERRY IQF					
PRODU	UCT CODE:	201					
VARIE	TY:	SENGA SENGANA / JOLY / CLERY					
ORIGI	N:	SERBIA					
2.		FEATURES					
O. No.	FEATURE	SIZE/ VAL	UE				
1	FRUIT SHAPE	HEALTHY, FULL, SEPARATED FRUIT, OF SHAPE CHARACTHERISTC FOR THE VARIETIES					
2	FRUIT APPEARANCE	WITHOUT DEPIGMENTED AND FLATTENED FRUITS					
3	COLOUR	RED TILL DAR	K RED				
4	ODOR	RIPE FRUI	тѕ				
5	FLAVOUR	TIPIČAL FOR STR	AWBERRY				
6	CALIBRAGE	18 - 40 m	m				
7	BRIX	Min 9 º ( measure	ed on 20 <sup>0</sup> )				
8	% CONNECTED FRUITS AND BROKEN FRUITS	WITHOU	Т				
9	% MOLDY FRUITS	WITHOU	Т				
10	% VEGETATIVE IMPURITIES	LEAVES < 1 cm m	ax 2 in 5kg				
11	%OTHER IMPURITIES (wood, plastics, insects, glass soil)	WITHOUT					

- MICROBIOLOGICAL FEATURES
   According to the Regulations on the general and special conditions of hygiene of food at any stage of production, processing and trade Official Gazette 72/2010
- According to the Regulation on special conditions of hygiene berry fruit in fresh or frozen in all phases of operations - Official Gazette 80/2011
- Commission Regulation (EC) No 2073/2005, 1441/2007, 365/2010, with all its amendments and changes, and with the exception of: - food for children and dietetic food

MICROBIOLOGICAL			MITS	FASE IN WHICH THE CRITERIA IS	
FEATURES	METHOD	TARGET	ACCEPT	APPLIED	
Salmonella	ISO 6579	Absen	ce in 25g	Product on the market during its shelf life	
Listeria monocytogenes	ISO 11290-1 (1.1b)	Absen	ce in 25g	Before food ceases to be under the direct control of the entity that produced	
Listeria monocytogenes (enumeration)	ISO 11290-2 (1.1a)	100	cfu/g	Product on the market during its shelf life	
Escherichia coli	ISO 16649-1 (2.5.19)	m < 1	10 cfu/g	By the end of the production process	
E. coli 0157:H7	ISO 16649-1 (2.5.19)	Absence in 25g		By the end of the production process	
Enterobacteriaceae	ISO 21528-2	m < 10 cfu/g	M ≤ 100 cfu/g	By the end of the production process	
Staphylococcus aureus		<50	) in 1g	By the end of the production process	
Listeria Monocytogenes		Absence in 25g		By the end of the production process	
Bacillus cereus		<1x1	0 <sup>3</sup> in 1g	By the end of the production process	
TVC (Total Viable Count) TVC gives the number of viable aerobic mesophilic microorganisms, including bacteria, yeasts and moulds	ISO 4833	m < 10.000 cfu/g	M ≤ 100.000 cfu/g	By the end of the production process	
Kvasci (Yeasts)	ISO 21527-1	m < 1.000 cfu/g	M ≤ 10.000 cfu/g	By the end of the production process	

MARK OF EDITION	DATE	DONE BY	APPROVED BY	PAGE/PAGES
Previous edition	Jul, 2012	M.Milaković	P.Petrović	3
Edition: <b>C</b>	Aug, 2017	J.Banjanac	P.Petrović	3



## PRODUCT SPECIFICATION

#### **SPECIFICATION MARK**

FP-SGP -108-01

Plesni (Moulds)	ISO 21527-1	m < 1.000 cfu/g	M ≤ 10.000 cfu/g	By the end of the production process	
Norovirus GI i GII	RT-PCR Below the limit of quantification		Product on the market during its shelf life		
Ingredients, additives,	None				
allergens	ıllergens				
GMO	Product is not derivated from genetically modified organisms.				
Jonizacija (Ionization)	The product has not undergone any ionizing radiation.				
Radioaktivnost	On customer request Eur limit Cs134 i Cs137 = max 600Bq/kg (EC) 733/2008				
(Radioactivity)	Ser limit Cs134 i Cs137 = max1250Bq/kg Prav. 86/2011				

### 4. CHEMICALFEATURES-PESTICIDES

Title	Limit (	nit (mg/kg) Title		Limit (	Limit (mg/kg)	
Title	EUR MRL	SER MRL	litie	EUR MRL	SER MRL	
abamectine	0,1	0,1	dithianon	3	3	
azinphos-methil	0,05*	0,05*	dithiocarbamates	0,05*	0,05*	
azoksistrobin	5	3	endosulfan	0,05*	0,05*	
bifenthrin	0,3	0,3	fenhexamid	10	10	
boscalid	10	10	fenitrothion	0,01*	0,01*	
captan	3 (ft)	3 (ft)	fludioksonil	5	5	
chlorpyrifos (F)	0,5	0,5	folpet	3 (ft)	3 (ft)	
chlorpyrifos-methyl (F)	0,05*	0,05*	iprodione	10	10	
clofentezine (R)	3	3	lambda cyhalothrine	0,2	0,2	
copper compounds (Copper)	5	5	procymidone	0,02*	-	
cypermethrine	0,5	0,5	pyraclostrobine	2	1	
ciprodinil	10	10	pyrimethanil	10	10	
deltamethrine	0,5	0,5	tebuconazole	1	1	
difenoconazole	0,3	0,3	tolylfluanid	5	5	
dimethoate	0,02*	0,02*	vinclozolin	5	5	

- Ordinance on the maximum allowable residue levels of pesticides in food and animal feed and animal feed which determines the maximum allowable quantities of residues of plant protection products (Official Gazette no. 25/2010)
- Pesticides according to the codex alimentarius

5. CHEMICAL FEATURES HEAVY METALS	MAX. ALLOEWD VALUES (mg/kg)
Pb	0,1
Cd	0,05
Hg	0,02
As	0,3
Cu	10

Ordinance on amendments to the Ordinance on the maximum allowable residue levels of pesticides in food and feed (Official Gazette no. 28/11)

The product is compliant with EU law ("Commission Regulation (EC) No. 1881/2006 and all its amendments).

6.	PACKAGING						
No	SORT	PACKAGING	DIMENSIONS IN mm	Net WEIGHT	<b>Gross WEIGHT</b>		
1	POLIETHILENE BAGS	101;13/1	380x(2x150)x700x0.03	10,13 kg.	10.530,13.530 kg.		
2	KARTOON	K-240:K-200	380x280x240;380x280x200	10,13 kg	10.530,13.530 kg.		
3	PALETtE EUR, EPAL		1200x800				
Storaç	ge in cold store	Goods is stacked in 4 -6 ram pallets high. Goods may be held on the euro pallets if refrigerator has enough space or has racks for storage Storage temperature -18C					
Storage in markets Keep goods in freeze on – 18 c							
Storaç	ge at consumers	Keep goods is	Keep goods in freeze on – 18 c				
Expiry date: On keeping conditions on -18C. 24 months							

MARK OF EDITION	DATE	DONE BY	APPROVED BY	PAGE/PAGES
Previous edition	Jul, 2012	M.Milaković	P.Petrović	3
Edition: <b>C</b>	Aug, 2017	J.Banjanac	P.Petrović	3



# PRODUCT SPECIFICATION

#### **SPECIFICATION MARK**

FP-SGP -108-01

Conditions of transportation and handling	<ul> <li>Truck, closed with a device for cooling .</li> <li>Transportation temperature -18C</li> <li>Time of transportation is not limited</li> <li>Without casting and rolling over</li> </ul>		
Intended use:	For a wide range of users, the product is	not intended for people allergic to berries	
Information on the label according to the instructions of the customer	<ul> <li>Product name</li> <li>Net weight</li> <li>Countri of origine</li> <li>Expiry date</li> </ul>	<ul><li>Storage conditions</li><li>Lot number</li><li>EAN code</li></ul>	
Instructions for use:	Before eating blackberries must be thawed and can be used without any prior preparation. Already defrost blackberry is not recommended to be frozen again. Before serving time and consuming it is not recommended for longer keep thawed product at temperatures above 20oC		
Special notes:	The product is not highly caloric so it does not cause weight gain to consumer.  Recommended daily dose of 100 - 150 gr.		

Paun Petrovic

MARK OF EDITION	DATE	DONE BY	APPROVED BY	PAGE/PAGES
Previous edition	Jul, 2012	M.Milaković	P.Petrović	3
Edition: C	Aug, 2017	J.Banjanac	P.Petrović	3